

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 28] NEW DELHI, SATURDAY, AUGUST 4, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th June, 1956

CHOLERA						SMALLPOX						PLAGUE											
C.						D.						C.						D.					
STATES PART (A) AND PART (C)												Assam											
Almer												Kamrup											
TOTAL												TOTAL											
(Estd. mid-year pop. 752 thousands.)												(Estd. mid-year pop. 9,817 thousands.)											
Total for w/e 23-6-56												Total for w/e 23-6-56											
Total for w/e 16-6-56												Total for w/e 16-6-56											
7-yearly mean for the week												7-yearly mean for the week											
Andhra												Bhopal											
TOTAL												TOTAL											
(Estd. mid-year pop. 867 thousands.)												(Estd. mid-year pop. 867 thousands.)											
Total for w/e 23-6-56												Total for w/e 23-6-56											
Total for w/e 16-6-56												Total for w/e 16-6-56											
7-yearly mean for the week												7-yearly mean for the week											
Bihar												Bihar											
Patna												Patna											
Gaya												Gaya											
Shahabad												Shahabad											
Muzaffarpur												Muzaffarpur											
Monghyr												Monghyr											
Bhagalpur												Bhagalpur											
Ranchi												Ranchi											
Manbhum												Manbhum											
Palamau												Palamau											
TOTAL												TOTAL											

Explanation of Symbols used : C = Cases; D = Deaths; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th June, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
CHOLERA																							

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th June, 1956—*contd.*

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Rajasthan						ARREAR INFORMATION					
"N.R."						Himachal Pradesh					
Saurashtra						w/e 23-6-56					
"N.R."						TOTAL	3	1	..
Travancore-Cochin						Vindhya Pradesh					
TOTAL	3	2	..	w/e 9-6-56 to 23-6-56					
Grand Total for States	8	2	..	TOTAL
Part (B)	8	2	..	Madhya Bharat					
Grand Total for States	w/e 23-6-56					
Parts (A), (B) and (C)	441	166	413	161	..	TOTAL	9	5	..

Explanation of Symbols used : C.=Cases; D.=Deaths ; ..=Nil ,N.R." =Information not received.

NEW DELHI-2 (INDIA) ;
The 24th July 1956.

K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th June, 1956

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and B)														
Ajmer														
Ajmer	223	86	20.1	—	3	..	4	..	18	4.2	1	
Beawar	59	17	15.0	4	..	4	..	8	7.1	3	
TOTAL	282	103	19.0	7	..	8	..	62	4.8	4	
Andhra														
Adoni	63	55	43.4	1	15	12.4	3	
Anantapur†														
Anakapalli	46	36	40.7	1	1	1	..	13	14.7	7	
Bhimavaram	36	19	27.4	3	4.3	..	
Chirala	43	49	59.2	3	3	2	..	1	19	23.0	7	
Chittoor	45	27	31.2	2	2	..	3	..	8	9.2	1	
Cuddapah	42	20	24.8	2	9	11.1	1	
Eluru	99	34	17.9	..	4	..	7	1	3	3	41	21.5	6	
Gudivada	36	9	13.0	7	3	1	3	1	13	18.8	5	
Guntur	147	156	55.2	6	10	14	2	66	23.4	15	
Guntakal	37	29	40.7	3	3	13	18.3	3	
Kakinada	113	24	13.3	20	9.2	2	
Kurnool	68	91	69.6	4	22	16.8	4	
Masulipatnam	88	33	19.5	4	1	17	10.0	10	
Nandyal†														
Nellore	95	75	41.0	3	2	..	1	31	17.0	8	
Proddatur	42	27	33.4	2	..	2	..	7	8.7	1	
Rajahmundry	122	104	44.3	6	20	8.5	8	
Tenali	67	58	45.0	3	..	1	..	20	15.5	4	
Vijayavada	201	145	37.6	9	10	7	1	62	16.1	33	
Visakhapatnam	128	61	24.8	..	7	..	5	1	13	..	39	15.8	9	
Vizianagaram	75	50	34.7	—	—	—	3	1	1	..	23	16.0	6	
TOTAL	1,593	1,107	36.1	..	11	..	67	33	48	10	461	15.0	123	
Assam														
Shillong†														
Gauhati	51	15	15.3	6	6.1	2	
Dibrugarh	46	—	
Silchar	43	26	31.4	2	1	9	10.9	..	
TOTAL	140	41	15.2	..	—	..	2	1	15	5.6	2	
Bhopal														
Bhopal	116	85	38.1	3	..	1	..	6	2.7	..	
Bihar														
"N. R."														
Bombay														
Ahmedabad	889	554	32.4	..	3	..	12	7	74	..	274	16.0	88	
Ahmednagar	88	88	52.0	1	3	7	..	33	19.5	..	
Amalner	50	20	20.8	5	..	1	..	9	9.4	3	
Bagalkot	36	84	34.7	2	5	7.6	1	
Baroda	242	178	38.2	15	4	15	..	66	14.2	21	
Barsi	46	41	46.3	5	1	1	..	16	18.1	5	
Belgaum	110	93	43.9	1	4	2	..	34	16.1	12	
Bhusawal	62	48	40.2	3	1	1	1	12	10.1	1	
Bijapur	75	54	37.4	1	1	2	..	5	3.5	1	
Broach	67	44	34.1	5	3	6	..	29	22.5	6	
Camboy	41	35	44.4	6	7.6	2	
Chalisgaon	35	34	50.5	8	1	12	17.8	2	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total death) ; ..=Nil Information ; N. R.=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th June, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B. B.R.*	Deaths from :—										Total	D.R.*	I.D.
			C.	S.	P.	F.	D.D.	R.D.	M.D.						
Bombay—contd.															
Dharwar	76	42	28.7	1	11	7.5	2		
Dhulia	89	57	33.3	6	..	2	..	19	11.1	9		
Gadag Betageri	71	48	35.1	5	2	2	2	29	21.2	..		
Godhra	40	32	44.2	6	12	15.6	13		
Greater Bombay	3,449	1,663	25.1	..	1	..	1	41	91	1	589	8.9	66		
Hubli	148	84	29.5	2	1	5	1	14	4.9	..		
Jalgaon	79	107	70.4	6	1	2	2	24	15.6	5		
Kalyan	73	43	30.6	3	9	6.8	5		
Kolhapur	159	102	33.4	1	1	5	..	27	8.8	3		
Malegaon	63	49	40.4	12	2	2	..	23	19.0	..		
Miraj	44	31	36.6	1	1	13	15.4	1		
Nadiad	71	47	34.4	14	..	1	..	23	16.8	12		
Nandurbar	35	38	56.5	3	..	1	..	7	10.4	2		
Nasik	119	82	35.8	3	2	4	3	25	10.9	6		
Navasari	50	27	28.1	5	8	8.3	3		
Pandharpur	44	23	27.3	2	3	2	..	12	14.2	3		
Patan	47	37	40.9	3	1	4	..	20	22.1	5		
Poona	607	242	20.7	7	2	27	..	100	8.6	16		
Sangli	58	33	29.6	2	9	8.1	4		
Satara	40	35	45.5	1	1	..	12	15.6	4		
Sholapur	299	186	32.3	15	8	23	..	82	14.3	22		
Surat	250	152	31.6	..	1	..	18	4	20	1	132	27.5	33		
Thana†															
TOTAL	7,652	4,373	29.7	..	5	..	173	95	301	12	1,701	11.6	446		
Delhi State															
Delhi City	1,124	561	25.9	99	12	20	3	185	8.6	52		
New Delhi	374	202	28.1	3	3	7	..	65	9.0	12		
N.A.C. Civil Station, Delhi	117	71	31.5	2	4	2	..	15	6.7	4		
Delhi Cantt.	50	30	31.2		
Delhi Shahdara	53	49	48.1	5	3	3	..	14	13.7	4		
TOTAL	1,718	913	27.6	109	22	32	3	279	8.4	72		
Madhya Pradesh															
Achalpur	38	34	46.5	9	1	14	19.2	3		
Akola	104	65	32.5	12	2	2	..	33	16.5	6		
Amravati†															
Bilaspur	40	26	33.8	10	..	1	..	19	24.7	1		
Burhanpur	79	59	38.8	6	..	4	..	20	13.2	..		
Chanda†															
Chindwara†															
Damoh†															
Gondia	45	33	38.1	2	6	6.9	3		
Hinganghatt†															
Jabalpur†															
Khandwa	59	28	24.7	..	1	..	7	..	1	..	14	12.3	..		
Khangaon†															
Kamptee†															
Murwara†															
Itarsi†															
Nagpur†															
Sagar†															
Raipur†															
Raigarh†															
Wardha†															
Yeotmal	41	23	29.1	2	7	8.9	2		
TOTAL	406	268	34.3	..	1	..	48	3	8	..	113	14.5	15		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—No Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th June, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras															
Ambur	44	38	44.9	1	2	..	10	11.8	5		
Aruppukottai	56	119(a)	110.5	1	1	3	..	12	11.1	3		
Bodinayakanur	40	32	41.6	2	6	7.8	2		
Cannanore	47	18	19.9	1	..	4	..	11	12.2	1		
Chidambaram	39	48	64.0	1	18	24.0	4		
Coimbatore	234	230	51.1	2	16	18	5	104	23.1	28		
Cuddalore	74	93	65.4	..	2	3	3	1	29	20.4	10		
Dindigul	90	54	31.2	5	2	3	..	20	11.6	3		
Erode	67	92	71.4	2	..	14	10.9	2		
Gobichetty Palyan	38	17	23.3	5	6.8	1		
Guddiyattam	53	41	40.2	4	9	..	17	16.7	3		
Kancheepuram	90	118	68.2	2	18	2	36	20.8	7		
Karalkudi	44	50	59.1	2	..	1	1	9	10.6	1		
Karur	50	34	35.4	1	9	9.4	2		
Kozhikode	176	143	42.3	3	4	8	..	80	23.6	23		
Kumbakonam	105	131	64.9	1	1	2	..	25	12.4	13		
Madras	1,703	1,110	33.9	..	2	..	61	81	142	2	542	16.5	162		
Mangalore	136	165	63.1	2	2	1	..	33	12.6	8		
Mathurai†															
Mayuram	49	52	55.2	1	1	..	5	5.3	5		
Malapalyam	41	23	29.1	1	6	10	12.7	4		
Nagapattinam	60	32	27.7	2	2	1	..	18	15.6	..		
Ootacamund†															
Palni	40	42	54.6	1	..	3	..	8	10.4	..		
Palayamkottai	45	43	49.7	3	..	2	..	20	23.1	6		
Palghat	77	57	38.5	3	2	5	1	30	20.3	8		
Periyakulam	34	38	58.1	2	1	1	1	14	21.4	3		
Pollachi	51	46	46.9	1	2	15	15.3	4		
Pudukottai	50	48	49.9	1	3	6	..	33	34.3	2		
Rajapalayam	69	52	39.2	1	4	5	..	21	15.8	7		
Salem	241	140	30.2	5	7	10	1	60	7.8	4		
Srirangam	42	28	34.7	1	2	2	..	12	14.9	2		
Srivilliputtur	44	30	35.5	..	—	..	1	..	1	..	11	13.0	3		
Tanjore	118	124	54.6	1	2	5	..	50	22.0	9		
Tellicherry	42	34	42.1	1	3	1	15	18.6	2		
Tiruvannamalai	45	47	54.3	3	1	13	15.0	4		
Tirunelveli	80	85	55.3	3	5	..	20	13.0	7		
Tiruppur	63	72	59.4	1	4	3	1	24	19.8	6		
Tiruchirappalli	251	150	31.1	3	4	10	3	82	17.0	18		
Tuticorin	111	113	52.9	2	7	14	2	46	21.5	9		
Vaniyambadi	43	38	46.0	3	3	3	..	15	18.1	8		
Vellore	124	90	37.7	1	5	..	33	13.8	12		
Villupuram	39	50	66.7	..	1	..	1	1	1	..	10	13.3	1		
Virudunagar	53	79	77.5	2	3	1	..	15	14.7	4		
TOTAL	4,898	4,046	43.0	..	5	..	115	178	306	22	1,560	16.6	406		

Orissa

Berhampur	72	30	14.5	2	3	..	2	10	7.2	2
Cuttack	117	134	59.8	8	1	6	..	44	19.6	9
Puri	53	38	37.4	11	7	28	27.6	4
TOTAL	242	192	41.3	21	11	6	2	82	17.6	15

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information; “N. R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th June, 1956—*concl'd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from —							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Punjab (I)													
Ambala	65	49	39.4	7	5	..	1	17	13.7	8
Amritsar	343	134	20.4	1	2	24	1	54	8.2	14
Batala	62	26	21.9	8	2	12	10.1	..
Bhiwani	57	35	32.1	—	3	7	6.4	2
Ferozepore	45	27	31.4	1	1	2	..	11	12.8	2
Hissar	39	20	26.8	6	..	3	..	15	20.1	8
Hoshiarpur	51	26	26.7	1	1	..	2	10	10.3	3
Jullundur	200	77	20.1	7	1	6	..	20	5.5	6
Karnal	72	40	29.0	7	1	1	..	11	8.0	3
Ludhiana	176	94	27.9	16	..	1	..	22	6.5	5
Moga	41	24	30.6	3	..	1	..	8	10.2	3
Panipat	64	25	20.4	8	10	8.2	3
Pathankot	34	21	32.3	3	4	6.2	1
Rewari	36	19	27.7	3	1	3	..	7	10.2	1
Rohtak	105	63	31.4	3	..	1	1	14	7.0	5
Simla	50	19	19.8	4	4.2	2
Sonapat	34	35	53.8	6	10	15.4	1
TOTAL	1,474	734	25.9	83	14	42	5	236	8.3	67
Uttar Pradesh													
Agra	375	224	31.2	..	—	..	2	4	21	..	65	9.1	17
Allahabad	349	140	21.0	4	1	42	..	85	12.7	25
Amroha	61	45	38.6	5	4	5	..	20	17.1	8
Bahraich	47	18	20.0	2	3	3.3	..
Banaras	383	284	38.8	..	2	..	40	13	24	..	190	25.9	43
Ballia	35	6	9.0	2	2	4	6.0	..
Banda†
Barilly	203	78	20.1	18	6	12	..	47	12.1	16
Bijnor†
Budaun	54	26	25.2	3	1	6	..	16	15.5	6
Basti†
Bulandshahr	42	11	13.7	..	1	..	3	4	5.0	1
Chandausi	41	25	31.7	7	1	4	..	21	26.6	8
Dehra Dun	146	30	10.7	2	1	2	..	20	7.2	3
Etawah	64	36	29.4	6	3	6	..	21	17.1	7
Faizabad-Ayodhya	88	39	23.2	3	1	2	2	14	8.3	6
Farrukhabad-Fatehgarh	82	37	23.6	8	9	4	..	30	19.1	13
Ferozabad	79	46	30.4	1	1	7	4.6	..
Gazilabad	46	28	31.8	6	10	11.4	4
Gazipur	36	24	34.8	2	1	1	..	15	21.8	..
Gorakhpur	140	72	26.9	9	10	3	..	32	11.9	11
Gonda	35	18	26.9	4	1	8	11.9	1
Hapur	49	37	39.5	14	1	1	..	20	21.3	9
Hardwar	64	33	26.9	16	6	2	..	35	28.6	14
Hathras	62	39	32.9	1	8	4	9	..	34	28.7	17
Jaunpur	56	22	20.5	3	1	5	..	13	12.1	1
Jhansi	116	76	34.2	18	26	11.7	9
Kanpur	734	370	26.3	..	1	..	110	18	42	6	294	20.9	95
Kasganj	34	5	7.7	3	3	4.6	1
Khurja	41	26	33.1	2	1	13	16.6	4
Koll-Aligarh	150	40	13.9	25	4	4	..	53	18.5	14
Lucknow	494	287	30.4	27	20	14	..	114	12.1	45
Mathura	110	66	31.4	25	4	2	..	45	21.4	16
Mau-Nath Bhanjan	38	27	37.1	..	3	..	5	2	18	24.8	5
Meerut	185	72	20.3	13	..	10	1	36	10.2	10
Mirzapur-Vindhyachal	97	47	25.3	11	1	1	..	26	14.0	12

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th June, 1956—*contd.*

		Deaths from :—													
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Uttar Pradesh—contd.															
Moradabad . . .	164	90	28.7	12	4	13	..	42	13.4	17		
Muzaffarnagar . . .	74	37	26.0	12	1	1	..	19	13.4	10		
Pilibhit . . .	45	22	25.6	7	11	12.8	4		
Rampur†															
Saharanpur . . .	162	74	26.9	30	..	2	..	39	12.6	18		
Sambhal . . .	65	48	38.6	14	5	7	..	35	28.1	11		
Shahjahanpur . . .	99	63	25.9	9	1	2	..	30	12.3	10		
Sitapur . . .	49	14	14.9	5	..	1	..	11	11.7	3		
TOTAL . . .	5,194	2,682	28.9	1	7	..	496	132	248	9	1,529	15.3	488		
West Bengal															
"N.R."															
STATES—(Part B)															
Hyderabad															
Aurangabad . . .	73	10	7.1	1	0.7	..		
Bidar†															
Gulberga . . .	90	6	3.5	2	..	2	..	5	2.9	..		
Hyderabad City . . .	1,057	449	22.1	..	3	..	20	3	5	..	103	5.1	20		
Jalna . . .	69	18	13.6	2	..	5	3.8	..		
Kothagudiam . . .	71	33	25.1	2	1.5	..		
Latur†															
Nanded . . .	80	48	31.2	6	3.9	..		
Nizambad . . .	67	13	10.1	1	1	2	1.6	..		
Parbhani †															
Raichur†															
Secunderabad City . . .	162	139	44.6	2	4	3	..	32	10.3	8		
Warangal†															
TOTAL . . .	1,669	716	22.3	—	3	..	25	8	10	..	1,56	4.9	28		
Jammu & Kashmir															
"N.R."															
Madhya Bharat															
Greater Gwalior . . .	273	171	32.6	3	13	2.5	..		
Indore . . .	368	270	38.2	10	2	4	1	51	7.2	21		
Ujjain . . .	156	74	24.7	2	1	..	1	22	7.3	..		
Ratlam†															
Mandsar . . .	73	27	19.2	4	12	8.6	..		
	41	12	15.2	1	..	1	..	2	2.6	..		
TOTAL . . .	911	554	31.6	20	3	5	2	100	5.7	21		
Mysore															
Chitaldrug . . .	31	4	6.7	1	1	1.7	..		
Bangalore . . .	977	566	30.1	4	44	66	..	184	9.8	..		
Mysore . . .	294	139	24.6	10	5	83	14.7	..		
Kolar Gold Fields†															
Bellary . . .	78	19	12.7	1	..	3	..	17	11.3	..		
Davangere . . .	69	31	23.4	2	10	7.5	..		
Hospet . . .	45	25	28.9	3	1	..	9	10.4	..		
Shimoga . . .	57	30	27.4	6	1	8	7.3	..		
TOTAL . . .	1,551	814	27.3	23	52	70	1	312	10.5	..		
PEPSU															
Patiala City . . .	111	29	13.6	19	..	1	..	32	15.0	12		
Malerkotla . . .	34	28	42.8	3	5	7.6	..		
Bhatinda . . .	39	14	18.7	3	..	2	..	6	8.0	3		
TOTAL . . .	184	71	20.1	25	..	3	..	43	12.2	15		

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th June, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Rajasthan		"N.R."												
Travancore-Cochin														
Alleppey	148	35	12.3	1	1	18	6.3	5	
Changanacherry	41	21	26.6	1	2	2.5	..	
Ernakulam	70	44	32.7	2	2	1	..	13	9.7	3	
Kottayam	50	49	51.0	1	1	8	18.3	..	
Mattanchery	85	30	18.4	1	1	..	9	5.5	1	
Nagercoil	94	38	21.0	3	1	8	4.4	1	
Quilon	75	91	63.1	1	..	7	4.9	3	
Trichur	76	57	39.0	2	13	8.9	2	
Trivandrum City	218	98	23.4	3	7	2	..	26	6.2	4	
TOTAL	857	463	28.1	10	15	5	1	104	6.3	19	
Saurashtra		"N.R."												
Madhya Bharat		ARREAR RETURN For w/e 23-6-56												
Greater Gwalior	273	102	19.4	4	12	2.3	..	
Indore	368	110	15.1	15	..	7	..	84	11.9	28	
Ujjain	156	36	12.0	9	22	7.3	..	
Ratlam	73	24	17.1	1	..	3	..	18	12.8	..	
Mandsaur	41	13	16.5	1	..	1	1.3	..	
TOTAL	911	285	16.3	29	..	11	..	137	7.8	28	
Bombay		For w/e 16-6-56												
Patan	47	37	41.0	2	..	1	1	19	21.0	1	
		For w/e 23-6-56												
Malegaon	63	52	42.9	5	..	1	..	8	6.6	4	
Poona	607	303	36.9	8	5	24	2	119	10.2	33	
Satara	40	27	35.1	2	2	15	19.5	5	
Madhya Pradesh		For w/e 10-3-56												
Wardha	46	19	21.4	1	3	1	..	8	9.0	1	
Hinganghat†	35	8	11.9	5	1	2	..	10	14.8	2	
Chanda	43	21	25.4	1	2	6	7.2	..	
		For w/e 17-3-56												
Wardha	46	11	12.4	5	..	2	..	15	16.9	..	
Hinganghat	35	13	19.3	1	..	2	..	8	11.9	..	
Chanda	43	26	31.4	1	..	1	..	12	14.5	2	
		For w/e 24-3-56												
Wardha	46	17	19.2	3	2	1	..	13	14.7	..	
Hinganghat	35	5	7.4	4	8	1	..	21	31.2	..	
Chanda	43	28	33.9	2	9	10.9	4	
		For w/e 31-4-56												
Wardha	46	8	9.0	8	..	1	..	13	14.7	..	
Hinganghat	35	7	10.4	1	..	2	..	16	27.8	..	
Chanda	43	30	36.3	1	8	9.7	2	
		For w/e 9-6-56												
Khandwa	59	21	18.5	2	..	1	..	5	4.4	..	
Burhanpur	79	49	32.3	6	..	1	..	13	8.6	..	
		For w/e 23-6-56												
Damoh	42	26	32.2	4	1	1	..	7	8.7	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th June, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bihar			<i>For w/e 23-6-56</i>												
Arrah	70	2	1.5	3	4	3.0	..		
Bihar	68	7	5.4	3	4	3.1	..		
Bettiah	38	13	17.8	1	..	1	..	4	5.5	..		
Bhagalpur†															
Chapra †															
Darbangha	93	12	6.7	4	1	11	6.2	..		
Dhanbad	41	12	15.2	1	..	6	7.6	..		
Dinapur	44	3	3.6	3	4	4.7	..		
Gaya	149	42	14.7	18	3	11	1	43	15.0	..		
Hazaribagh	39	62	82.7	1	23	30.7	10		
Jamalspur	47	5	5.5	1	1	1.1	..		
Jamshedpur	246	148	31.3	1	..	5	..	21	4.5	..		
Katihar	51		
Monghyr†															
Muzaffarpur	84	22	13.6	1	1	2	..	18	11.1	..		
Patna	330	229	36.1	1	1	..	16	..	2	..	61	9.6	..		
Purulia	47	7	7.7	1	3	3.2	..		
Ranchi	130	21	8.4	..	1	..	9	14	5.6	3		
TOTAL	1,147	585	20.6	2	2	..	57	6	22	4	217	7.6	14		
Assam			<i>For w/e 23-6-56</i>												
Shillong†															
Gauhati	51	18	18.3	15	3	39	40.0	6		
Dibrugarh	46	4	4.5		
Silchar†															
TOTAL	97	22	15	3	39	..	6		
Jammu & Kashmir			<i>For w/e 5-5-56</i>												
Srinagar	242	144	30.9	2	..	9	..	26	5.5	..		
			<i>For w/e 12-5-56</i>												
Srinagar	242	83	17.8	1	2	..	9	1.9	..		
			<i>For w/e 19-5-56</i>												
Srinagar	242	157	33.7	1	..	3	..	25	5.3	..		
			<i>For w/e 26-5-56</i>												
Srinagar	242	134	28.7	1	..	9	..	30	6.4	..		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 30th June, 1956, relate to 206 towns with an estimated population of 28,887 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 65% of the total number of towns representing 70% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 17,162 and 6,723 representing birth and death rates of 30.9 and 12.1 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 174 towns with an estimated population of 23,715 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 69% of the total number of towns representing 71% of the total population is covered. The number of births and deaths recorded in these towns were 14,544 and 6,008 representing birth rates

and death rates of 31.9 and 13.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 32 towns with an estimated population of 5,172 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 49% of the total number of towns representing 64% of the total population is covered. The number of births and deaths recorded in these towns were 2,618 and 715 representing birth and death rates of 26.3 and 7.2 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 30-6-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . .	19.0	4.0	†	†	24.3	12.2
Andhra . .	36.1	15.0	36.8	14.7	†	†
Bombay . .	29.7	11.6	31.9	12.2	30.4	13.7
Delhi . .	27.6	8.4	28.7	9.2	31.8	12.0
Madhya Pradesh . .	34.3	14.5	25.6	11.6	24.2	10.9
Madras . .	43.0	16.6	40.8	18.8	†	†
Orissa . .	41.3	17.6	56.8	19.1	41.7	21.7
Punjab (I) . .	25.9	8.3	30.6	11.5	29.3	11.8
Uttar Pradesh . .	26.9	15.3	25.6	15.1	26.5	16.1
India* . .	31.9	13.2	32.7	14.4	30.4	15.0

*7 Part 'A' States and 2 Part 'C' States.

† Figures not available.

NEW DELHI-2 (INDIA) :

The 24th July, 1956.

K. MITRA,
for Registrar General, India.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th July, 1956

CHOLERA						SMALLPOX						PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) AND PART (C)																			
Ajmer																			
TOTAL																			
(Estd. mid-year pop. 752 thousands.)																			
Total for w/e 30-6-56																			
Total for w/e 23-6-56																			
7-yearly mean for the week																			
Andhra																			
"N.R."																			
Assam																			
Kamrup		3		3															
Darrang		1																	
Sibsagar						7		1											
United Miker and North Cachar Hills		8		3															
Garo Hills																			
TOTAL		12		6		7		1											
(Estd. mid-year pop. 9,817 thousands)																			
Total for w/e 30-6-56						8		3											
Total for w/e 23-6-56																			
7-yearly mean for the week		9		5		1													
Bhopal																			
Total						13		3											
(Estd. mid-year pop. 867 thousands)																			
Total for w/e 30-6-56																			
Total for w/e 23-6-56						13		9											
7-yearly mean for the week																			
Bihar																			
"N. R."																			
Bombay																			
Greater Bombay										8		2							
Ahmedabad												6		1					
Panch Mahals												3							
East Khandesh												5							
West Khandesh						2		1											
Poona												2							
Sholapur						4		1		1									
Bijapur								1				1		1					
Mehsana												1		1					
Banaskantha												1							
TOTAL						7		2		28		5							
(Estd. mid-year pop. 39,569 thousands)																			
Total for w/e 30-6-56		3		2		43		13											
Total for w/e 23-6-56								44		10									
7-yearly mean for the week		62		25		101		20											
Coorg																			
TOTAL																			
(Estd. mid-year pop. 262 thousands.)																			
Total for w/e 30-6-56																			
Total for w/e 23-6-56																			
7-yearly mean for the week						3		1											
Delhi																			
Delhi City										1									
New Delhi										2									
TOTAL										3									
Census pop. 1,744 thousands)																			
Total for w/e 30-6-56										2		1							
Total for w/e 23-6-56						1		1											
7-yearly mean for the week										4									

Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil; N. R.=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th July, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAQUE				SMALLPOX				PLAQUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
ARREAR INFORMATION								Madhya Pradesh							
Himachal Pradesh								<i>w/e 30-6-56</i>							
<i>w/e 30-6-56</i>								Chanda	74	7	..
TOTAL								Chhindwara	9	2	..
Madras								Betul	2
<i>w/e 30-6-56</i>								Jabalpur	.	.	1
Madras	8	2	..	Hoshangabad	3	2	..
South Arcot	16	5	..	Rajpur	.	.	21	8	27	11	..
Tiruchirappalli	4	1	..	Bilaspur	.	.	239	124
Tirunelveli	8	3	..	Durg	.	.	34	14	22	8	..
North Arcot	5	Bhandara	23	4	..
Salem	3	Yeotmal	26	2	..
Malabar	12	7	..	Akola	19	5	..
TOTAL	53	21	..	Buldana	9
Rajasthan								Surguja	.	.	9	5	11	3	..
<i>w/e 16-6-56</i>								Nagpur	1
TOTAL	57	14	..	TOTAL	.	304	151	226	44
<i>w/e 23-6-56</i>								Vindhya Pradesh							
TOTAL	30	6	..	<i>w/e 30-6-56</i>							
Explanation of symbols used : C. = Cases ; D. = Deaths ; .. = NIL								TOTAL
								aurashtra							
								<i>w/e 30-7-56</i>							
								Gohilwad	11	1	..
								Sorath	1
								Zalawad	2
								TOTAL	14	1	..

NEW DELHI-2 (INDIA); }
The 25th June, 1956. }

K. MITRA,
for Registrar General, (India).

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th July, 1956

Town	Mid-year Popn. Est. (000)	Deaths from—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and B)														
Ajmer														
Ajmer	223	72	16.8	9	..	5	..	21	4.9	4	
Jaipur	59	10	8.8	2	..	2	..	7	6.2	4	
TOTAL	282	82	15.1	11	..	7	..	28	5.2	8	
Andhra														
Adoni †														
Amantpur†														
Anakapalli	46	24	27.1	7	1	1	..	23	26.0	5	
Chimavaram	36	29	41.9	6	8.7	2	
Chirala	43	35	43.7	2	..	3	..	9	10.9	4	
Chittoor	45	35	40.5	1	9	10.4	1	
Buddapah	42	34	42.1	2	9	11.1	2	
Buru	99	64	33.6	14	..	4	..	32	7.4	7	
Budigada	36	32	46.2	4	9	13.0	3	
Buntur	167	167	59.1	..	1	..	3	2	9	2	51	18.1	19	
Buntakal	37	22	31.9	1	2	1	1	11	15.5	3	
Chakinada	113	23	10.6	2	..	11	5.1	..	
Churnool	68	94	71.9	..	1	2	..	20	15.3	4	
Masulipatnam	88	49	29.0	2	10	5.9	6	
Vandyal	37	21	29.5	..	8	..	4	..	2	2	21	29.5	2	
Vellore	95	110	60.2	3	2	4	1	32	17.5	9	
Proddatur†														
Rajahmundry	122	92	39.2	..	2	..	12	1	2	..	33	14.1	8	
Tonali	67	41	31.8	2	..	15	11.6	2	
Vijayvada	201	135	35.0	8	9	6	1	52	13.6	19	
Visakhapatnam	128	42	17.1	..	4	..	5	1	9	..	30	12.2	6	
Vizianagaram	75	44	30.5	3	1	4	..	29	20.1	8	
TOTAL	1,525	1093	37.3	..	16	..	68	27	52	8	412	14.0	110	
Assam														
"N.R."														
Bhopal														
Bhopal	116	37	16.6	3	..	5	..	9	4.0	..	
Bihar														
"N.R."														
Bombay														
Ahmedabad	889	558	32.6	14	10	55	..	216	12.6	89	
Ahmednagar	88	42	24.8	2	1	1	..	18	10.6	8	
Amalner	50	35	36.4	6	..	2	..	12	12.5	2	
Bagalkot	36	26	37.5	3	1	1	..	10	14.4	..	
Baroda	242	146	31.4	17	6	8	4	66	14.2	18	
Barshi	46	26	29.4	2	1	15	17.0	4	
Belgaum	110	96	45.4	3	2	2	..	24	11.3	3	
Bhusawal	62	67	56.2	3	..	1	..	11	9.2	1	
Bljapur†														
Broach	67	63	48.9	5	..	4	..	20	15.5	3	
Cambay	41	32	40.6	1	3	3.8	1	
Chalisgaon	35	33	49.0	7	1	11	16.3	2	
Dharwar†														
Dhulla	89	40	23.4	7	13	7.6	4	
Gadag Betgeri	71	24	17.6	5	..	3	..	19	13.9	..	
Godra	40	42	54.6	2	..	6	7.8	..	
Greater Bombay	3,449	1,457	21.9	..	2	..	1	50	130	..	636	9.6	204	
Hubli	148	25	33.4	1	3	..	20	7.0	..	
Jalgaon	79	15	9.8	5	1	9	5.9	3	
Kalyan	73	27	19.3	2	..	2	..	7	5.0	1	
Kolhapur	159	135	44.2	3	1	2	..	33	10.8	5	
Malegaon†														
Miraj	44	18	21.2	1	5	5.5	1	
Nadiad	71	44	31.0	13	..	2	..	21	15.4	6	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th July, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—contd.													
Nandurbar . . .	35	19	28.2	2	..	1	..	8	11.9	1
Nasik . . .	119	60	26.2	7	2	6	..	23	10.1	6
Navasari . . .	50	33	34.3	4	7	7.3	4
Pandharpur . . .	44	29	34.3	4	2	4	..	14	16.5	8
Patan . . .	47	30	33.2	2	1	..	9	10.0	..
Poona . . .	607	318	27.1	1	2	16	1	83	7.2	24
Sangli . . .	58	45	40.3	2	1	2	..	12	10.9	3
Satara . . .	40	17	22.1	1	1	..	8	10.4	1
Sholapur . . .	299	188	32.7	18	9	2	..	98	17.0	26
Surat . . .	250	138	28.7	12	8	15	..	112	23.3	34
Thana . . .													
TOTAL . . .	7,438	3,898	27.3	..	2	..	150	101	285	6	1,549	10.8	462
Delhi State													
Delhi City . . .	1,124	521	24.1	40	5	13	3	126	5.8	46
New Delhi . . .	374	178	24.7	3	..	78	10.8	11
N.A.C. Civil Station, Delhi	117	75	33.3	2	..	17	7.6	7
Delhi Cantt. . .	50	25	26.0
Delhi-Shahadara . . .	53	41	40.2	3	..	1	..	7	6.7	1
TOTAL . . .	1,718	840	25.4	58	5	19	3	228	6.9	65
Madhya Pradesh													
Achalpur . . .	38	34	48.5	4	1	13	17.8	5
Akola . . .	104	75	37.5	8	1	1	..	28	14.0	10
Amravati . . .	101	67	34.5	..	2	..	8	1	2	2	28	14.4	12
Bilaspur . . .	40	36	46.8	4	..	2	..	14	18.2	1
Burhanpur . . .	79	65	42.8	9	..	2	..	24	15.7	..
Chanda . . .	43	35	42.3	5	1	2	..	14	16.9	4
Chindwara†													
Damoh†													
Gondia†													
Hinganghatt†													
Jabalpur . . .	237	61	13.4	..	1	..	7	..	2	..	17	3.7	..
Khandwa . . .	59	28	24.7	..	1	..	2	9	7.9	..
Khamgaont†													
Kamptee†													
Murwara†													
Itarsi†													
Nagpur†													
Sagar†													
Raipur†													
Raigarh†													
Wardha†													
Yeotmal . . .	41	25	31.7	1	1	..	13	16.5	7
TOTAL . . .	742	426	39.9	..	4	..	47	7	12	12	160	11.2	39
Madras													
Ambur . . .	44	19	22.5	1	..	4	4.7	..
Aruppukottai . . .	56	21	19.5	12	4	2	1	34	31.6	11
Bodinayakanpur . . .	40	25	32.5	1	7	9.1	2
Cannanore . . .	47	21	23.2	2	3	3	..	23	25.4	2
Chidambaram . . .	39	44	58.7	3	1	..	14	18.7	4
Coimbatore . . .	234	226	50.2	3	8	15	4	105	23.3	31

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th July, 1956—contd.

Deaths from :—														
Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.	
Cuddalore . . .	74	57	40.1	2	1	1	..	13	9.1	4	
Dindigul . . .	90	43	24.8	2	3	20	11.6	7	
Erode . . .	67	15	11.6	1	4	2	..	14	10.9	5	
Gobichetty Palyan . . .	38	20	27.4	
Guddiyattam . . .	53	40	39.2	2	..	6	5.9	3	
Kancheepuram . . .	90	85	49.1	5	20	1	44	25.4	11	
Karaikudi . . .	44	30	35.5	8	9.5	..	
Karur . . .	50	27	28.1	2	3	2	..	13	13.5	1	
Kozhikode . . .	176	129	38.1	7	10	9	1	124	36.6	20	
Kumbakonam . . .	105	82	40.6	1	..	1	2	22	10.9	..	
Madras . . .	1,703	1,301	39.7	52	95	123	1	555	16.9	175	
Mangalore . . .	136	90	34.4	3	1	1	..	23	8.8	4	
Mathurai†														
Mayuram . . .	49	17	18.0	1	..	8	8.5	1	
Malapalyam . . .	41	10	12.7	1	1	2	2.5	1	
Nagapattinam . . .	60	60	52.0	3	13	11.3	3	
Ootacamund . . .	47	35	37.9	5	..	12	13.0	2	
Palni . . .	40	22	28.6	1	1	4	1	13	16.9	4	
Palayamkottai . . .	45	58	67.0	2	1	4	2	26	30.0	3	
Palghat . . .	77	63	42.5	1	4	6	1	42	28.4	8	
Periyakulam . . .	34	25	38.2	1	5	7.6	1	
Pollachi . . .	51	55	56.1	1	2	2	..	20	20.4	3	
Pudukottai . . .	50	35	36.4	..	1	3	..	13	13.5	4	
Rajapalayam . . .	69	33	24.9	1	2	4	..	12	9.0	1	
Salem . . .	241	130	28.1	4	6	12	..	59	12.7	6	
Srirangam . . .	42	25	31.0	1	..	1	..	12	14.9	1	
Srivilliputtur . . .	44	22	26.0	1	5	5.9	2	
Tanjore . . .	118	35	15.4	..	2	..	3	..	1	..	26	11.5	4	
Tellicherry . . .	42	36	44.6	1	2	1	21	26.0	5	
Tiruvannamalai . . .	45	31	35.8	..	2	1	1	..	13	15.0	3	
Tirunelveli . . .	80	64	41.6	1	5	1	18	11.7	5	
Tiruppur . . .	63	56	41.3	1	6	3	..	23	19.0	5	
Tiruchirapalli . . .	251	178	36.9	3	3	7	..	56	11.6	10	
Tuticorin . . .	111	72	33.7	3	5	11	..	44	20.6	12	
Vaniyambadi . . .	43	25	30.2	2	..	7	8.5	1	
Vellore . . .	124	133	55.8	2	5	8	..	56	23.5	15	
Villupuram . . .	39	28	37.3	..	1	..	2	2	3	..	19	25.3	5	
Virudunagar . . .	53	72	70.6	4	3	1	12	11.8	..	
TOTAL . . .	4,946	3,589	37.7	..	6	..	116	188	271	17	1,566	16.5	385	
Orissa														
Berhampur . . .	72	45	32.6	2	3	1	..	12	8.7	3	
Cuttack . . .	117	134	59.8	8	4	7	..	59	26.3	7	
Puri . . .	53	49	48.2	4	3	1	..	23	22.6	5	
TOTAL . . .	242	228	49.0	14	10	9	..	94	20.2	15	
Punjab (I)														
Ambala . . .	65	52	41.8	10	7	5	1	25	20.1	14	
Amritsar . . .	343	256	39.0	..	1	3	18	1	49	7.5	9	
Batala . . .	62	36	30.4	7	1	12	10.1	2	
Bhiwani . . .	57	50	45.9	7	1	3	..	18	16.5	11	
Ferozepore . . .	45	28	32.5	3	5	5.8	2	
Hissar . . .	39	41	55.0	4	7	9.4	4	
Hoshiarpur . . .	51	19	19.5	7	7.2	2	
Jullundur . . .	200	113	29.5	9	2	8	..	33	8.6	9	
Karnal . . .	72	35	25.4	3	8	5.8	1	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th July, 1956—*contd.*

Deaths from :—														
Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Punjab (1)— <i>contd.</i>														
Ludhiana . . .	176	120	35·7	11	20	5·9	5	
Moga . . .	41	33	42·1	9	11	14·0	3	
Panipat . . .	64	34	27·8	7	..	2	..	10	8·2	5	
Pathankot . . .	34	19	29·2	3	..	1	..	6	9·2	1	
Rewari . . .	36	21	30·5	2	6	8·7	2	
Rohtak . . .	105	72	35·9	7	1	11	5·5	2	
Simla†														
Sonipat . . .	34	31	47·7	4	5	7·7	1	
TOTAL	1,424	960	35·1	..	1	..	83	18	37	2	233	8·5	73	
Uttar Pradesh														
Agra . . .	375	188	26·2	4	3	35	..	80	11·1	24	
Allahabad . . .	349	140	21·0	..	2	..	5	2	42	..	76	11·4	16	
Amroha . . .	61	52	44·6	7	1	1	..	30	25·7	13	
Bahraich . . .	47	25	27·8	3	1	9	10·0	1	
Banaras . . .	383	292	39·9	..	3	..	58	17	23	..	187	25·5	59	
Ballia . . .	35	6	9·0	3	4·5	..	
Banda . . .	32	23	37·6	1	..	1	..	5	8·2	3	
Bareilly . . .	203	55	14·2	17	2	8	..	32	8·2	11	
Bijnor†														
Budaun . . .	54	21	20·3	5	..	9	..	30	29·0	8	
Basti †														
Bulandshahr†														
Chandausi . . .	41	24	30·4	5	7	9	..	28	35·5	8	
Dehra Dun . . .	146	32	11·4	4	3	2	..	20	7·2	4	
Etawah†														
Faizabad-Ayodhya . . .	88	32	19·0	2	1	5	1	17	10·1	8	
Farrukhabad-Fatehgarh . . .	82	43	27·4	6	3	6	..	19	12·1	3	
Ferozabad . . .	79	40	26·5	13	1	1	..	17	11·2	5	
Ghaziabad . . .	46	29	33·0	8	12	13·6	7	
Gazipur . . .	36	20	29·0	8	..	1	..	15	21·8	..	
Gorakhpur . . .	140	66	24·6	10	9	7	..	39	14·6	12	
Gonda . . .	35	11	16·4	4	9	13·4	2	
Hapur . . .	49	36	38·4	7	3	3	..	17	18·1	8	
Hardwar†														
Hathras . . .	62	45	37·9	14	3	6	..	34	28·7	14	
Jaunpur . . .	56	30	28·0	2	1	3	..	8	7·5	1	
Jhansi . . .	116	108	48·7	37	1	1	..	48	21·6	20	
Kanpur . . .	734	317	22·6	..	1	..	120	19	45	4	317	22·6	84	
Kasganj . . .	34	8	12·3	..	2	..	5	7	10·8	2	
Khurja . . .	41	24	30·6	1	1	2	..	9	11·5	3	
Koil-Aligarh . . .	150	42	14·6	19	3	7	..	36	12·5	10	
Lucknow . . .	494	514	54·4	37	16	19	..	112	11·8	37	
Mathura . . .	110	92	43·7	22	2	6	1	40	19·0	14	
Mau-Nath Bhanjan†														
Meerut . . .	185	91	25·7	5	1	5	..	19	5·4	2	
Mirzapur Vindhyachal . . .	97	35	18·9	4	1	4	..	18	9·7	7	
Moradabad . . .	164	75	23·9	10	4	6	..	30	9·6	10	
Muzaffarnagar . . .	74	17	12·0	14	..	1	..	16	11·3	4	
Pilibhit†														
Rampur†														
Saharanpur . . .	162	104	33·6	35	..	1	..	45	14·5	13	
Sambhal . . .	65	33	26·5	13	3	7	1	29	23·3	6	
Shahjahanpur†														
Sitapur . . .	49	11	11·7	4	1	9	9·6	5	
TOTAL	4,874	2,681	28·6	..	8	..	509	112	266	7	1,422	15·2	424	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C = Cholera; S. = Smallpox; P. = Plague; F. = Measles; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th July, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal														
Asansol†														
Baidyabati	33	14	22.2	4	6.3	..	
Bally	66	13	10.3	1	3	2.4	..	
Bankura	50	9	9.4	1	5	5.2	..	
Bansberia†														
Baranagar	90	36	20.9	1	1	—	5	4	3	..	23	13.4	9	
Basirhat†														
Berhampur.	64	55	44.9	2	3	16	13.1	6	
Bhadreshwar	34	6	9.2	1	1.5	..	
Bhatpara	143	21	7.7	9	1	3	1	17	6.2	4	
Budge-Budge	32	11	18.0	1	..	5	8.2	..	
Burdwan†														
Culcutta	2,984	1,230	21.5	22	8	..	40	70	110	4	614	10.8	206	
Champdani	41	17	21.7	
Cooch Behar†														
Darjeeling†														
English-Bazar	36	30	43.6	4	5.9	..	
Garden Reach	124	10	4.2	1	6	..	2	..	11	4.6	2	
Halisabar	41	1	1.3	2	2.6	..	
Hoogly-Chinsurah	60	60	52.0	1	1	..	5	4.4	2	
Howrah	477	152	16.7	6	3	..	6	11	26	..	120	13.2	44	
Jalpaiguri	49	16	17.1	1	—	4	4.3	..	
Kamarhati†														
Kanchrapara	74	2	1.4	1	2	1.4	..	
Krishnagar	56	1	0.9	1	2	1.9	..	
Midnapore	45	67	77.8	2	1	2	..	12	13.9	..	
Nabadwip	70	35	26.0	7	..	3	..	12	9.0	2	
Naihati	62	6	5.1	3	1	..	6	5.1	..	
North Barrackpore	36	3	4.4	
Panihati	65	3	2.4	1	1	5	4.0	..	
Shantipur†														
Serampore	83	34	21.4	3	2	1	..	20	12.6	8	
Siliguri	44	18	21.4	2	..	3	3.6	..	
South Dum Dum†														
South Suburban	124	51	21.5	3	6	..	11	4.6	2	
Titagarh	78	25	16.8	6	..	1	..	12	8.0	4	
TOTAL	5,061	1,926	19.8	32	12	..	88	102	162	5	919	9.4	289	

STATES—(Part B)

Hyderabad

Aurangabad	73	5	3.6	
Bidar	37	11	15.5	2	..	2	..	4	5.7	..	
Gulberga	90	8	4.6	
Hyderabad City	1,057	558	27.5	..	2	..	20	3	2	..	67	3.3	14	
Jalna	69	13	9.8	1	1	..	1	..	1	..	4	3.0	..	
Kothagudiam	71	22	16.7	2	1.5	..	
Latur †														
Nanded	80	78	50.7	24	15.5	..	
Nizambad	67	10	7.8	4	4	3.1	..	
Parbhani	40	8	10.4	3	1	5	6.7	1	
Raichur†														
Secunderabad City	162	163	52.3	2	8	..	39	12.5	13	
Warangal	155	36	12.1	10	..	2	—	16	5.4	..	
TOTAL	1,901	912	24.9	1	3	..	40	6	15	..	165	4.5	28	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—No information;

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th July, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B	B. R*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Jammu & Kashmir		"N.R."												
Madhya Bharat		"N.R."												
Greater Gwalior	273	91	17.3	3	8	1.5	..	
Indore	368	178	25.2	13	9	5	1	69	9.8	23	
Ujjain	156	46	15.3	11	28	9.3	..	
Ratlam†														
Mandsaur	41	12	15.2	2	..	1	..	3	3.8	2	
TOTAL		838	327	20.3	29	9	6	1	108	6.7	23
Mysore		"N.R."												
PEPSU		"N.R."												
Patiala City	111	31	14.5	12	..	2	..	29	13.6	12	
Malerkota	34	21	32.1	1	1.5	..	
Bhatinda	39	25	33.3	
TOTAL		184	77	21.8	12	..	2	..	30	8.5	12
Rajasthan		"N.R."												
Alwar	60	1	0.9	..	1	..	1	..	1	1	4	3.5	..	
Bharatpur	38	5	6.8	5	6	8.2	1	
Bikaner	117	40	17.8	4	1	3	..	14	6.5	3	
Churu	48	7	7.6	
Ganganagar	47	8	8.8	..	2	..	3	1	1	..	9	9.9	..	
Tonk	45	12	13.9	..	1	..	1	..	1	..	2	2.3	..	
Kotah	72	8	5.9	3	..	1	..	4	2.9	..	
Sikar †														
Jaipur	353	58	8.5	..	1	..	16	4	12	..	56	8.3	26	
Udaipur†														
Jodhpur†														
TOTAL		780	139	9.3	..	4	..	33	6	19	1	95	6.3	30
Travancore-Cochin		"N.R."												
Alleppey	148	28	9.8	1	4	1.4	..	
Changanacherry	41	12	15.2	2	6	7.6	1	
Ernakulam	70	28	20.8	12	8.9	1	
Kottayam†														
Mattanchery	85	29	17.7	1	2	14	8.6	2	
Nagercoil	94	26	14.4	1	3	..	1	13	7.2	4	
Quilon	75	72	49.9	3	..	19	13.2	2	
Trichur	76	51	34.9	3	13	8.9	..	
Trivandrum City	218	107	25.9	1	3	28	6.7	1	
TOTAL		807	353	22.7	8	9	3	1	109	7.0	11

ARREAR RETURNS

West Bengal		<i>For w/e 30-6-56</i>												
Asansol†
Baidyabati†
Bally	66	4	3.2	3	2.4
Bankura†
Bansberia†
Baranagar	90	33	19.2	1	3	2	16	9.3	4	..
Basirhat†
Berhampur	64	42	34.3	..	1	2	1	..	14	11.4	1	..
Bhadreshwar	34	6	9.2	2	3.1
Bhatpara†
Budge Budge	32	18	29.4
Burdwan†

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R. —Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate I.D.—Infantile Deaths (included in total deaths) ; .. —Nil information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th July, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D
				C.	S.	P	F	D.D.	R.D.	M.D.					
Calcutta	2984	1314	23.0	18	6	..	48	68	106	1	618	10.8	163		
Champani	41	10	12.8		
Gooch Bchar†															
Darjeeling†															
English Bazar	36	3	4.4	1	1	1.5	..		
Garden Reach	124	15	6.3	1	2	..	5	1	1	..	14	5.9	4		
Halisahar†															
Hoogly Chinsurah	60	78	68.0	2	3	3	19	16.6	4		
Howrah	477	171	18.7	16	2	..	3	17	32	..	127	13.9	40		
Jalpaiguri†															
Kamarhati †															
Kanchrapara	74	25	17.7	1	..	2	1.4	..		
Krishnagar	56		
Midnapur	45	18	20.9	2	..	1	..	6	8.1	..		
Nabadwip	70	27	20.2	5	3	14	10.5	2		
Naihati	62	3	2.5	3	1	..	6	5.1	..		
North-Barrackpore	36	3	4.4	1	1	1.5	..		
Panihati	65	3	2.4		
Santipur†															
Serampore	63	34	21.4	3	..	1	1	14	8.8	7		
Siliguri†															
South Dum Dum†															
South Suburban	124	18	7.6	1	1	..	2	..	11	4.6	3		
Titagarh†															
TOTAL	4623	1825	20.5	42	11	..	79	97	147	2	869	9.8	228		

Saurashtra

For w/e 30-6-56

Bhavnagar	157	70	23.2	12	1	4	..	35	11.6	12
Dhoraji	47	25	27.7	3	..	1	..	10	11.1	..
Gondal	41	22	27.9	3	..	1	..	5	6.3	1
Jamnagar	122	14	6.0	5	3	2	..	19	8.2	10
Junagadh	65	43	34.4	13	3	2	..	22	17.6	2
Morvi	43	9	10.9	4	4	4.8	..
Porbandar	64	13	10.6	9	2	..	1	20	16.2	6
Rajkot	167	81	25.2	12	..	7	..	40	12.4	9
Surendranagar†													
Veraval	46	11	12.4	3	..	4	..	8	9.0	1
TOTAL	752	282	19.9	64	10	21	1	163	11.3	41

Bihar

For w/e 30-6-56

Arrah	70	9	6.7	2	5	3.7	..
Bihar†													
Bettiah†													
Bhagalpur†													
Chapra													
Darbangha	93	15	8.4	1	6	3.4	..
Dhanbad	41	11	14.0	2	2	2	..	9	11.4	..
Dinapur†													
Gaya	149	49	17.1	20	3	12	1	54	18.9	..
Hazaribagh	39	8	10.7	5	6.7	..
Jamalpur	47	7	7.7	2	2.1	..
Jamshedpur	246	192	40.6	1	..	5	..	28	5.9	10
Katihar	51
Monghyr †													
Muzaffarpur	84	32	19.8	9	25	15.5	..
Patna	330	143	22.5	3	8	1	3	..	69	10.9	..
Purulia	47	7	7.7	1	2	2.2	..
Ranchi	130	15	6.0	8	19	7.6	5
TOTAL	1,327	488	19.1	3	1	..	52	6	22	1	224	8.8	15

*In cases of towns where there has been abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rate.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D. R.—Death Rate ; I.D.—(Infantile Deaths included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th July, 1956—*contd.*

		Deaths from :—												
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.E.	
Madhya Pradesh				For w/e 7-5-56										
Chanda	43	21	25.4	1	1	2	..	11	13.3	1	
Khamgaon	42	43	53.2	..	4	..	5	1	17	21.0	..	
				For w/e 14-5-56										
Chanda	43	32	58.7	1	..	1	..	12	14.5	5	
Khamgaon	42	33	40.9	..	1	..	8	1	16	19.8	..	
				For w/e 9-6-56										
Raigarh	35	16	23.8	1	1	7	10.4	..	
				For w/e 16-6-56										
Raigarh	35	17	25.3	2	11	16.3	..	
				For w/e 23-6-56										
Jabalpur	237	69	15.1	1	5	..	2	..	27	5.9	..	
Raigarh	35	15	22.3	2	5	7.4	..	
				For w/e 30-6-56										
Nagpur	528	182	17.9	..	5	..	27	1	14	..	99	9.7	..	
Jabalpur	237	79	17.3	1	2	..	9	1	7	..	36	7.9	..	
Raigarh	35	19	28.2	3	..	1	..	6	8.9	..	
Punjab				For w/e 9-6-56										
Ambala	65	32	25.7	10	1	2	..	19	15.3	8	
Amritsar	343	128	19.5	1	6	27	..	76	11.6	15	
Batala	62	31	26.0	9	13	11.0	5	
Bhiwani	57	55	50.5	8	3	2	1	20	18.3	4	
Ferozepore	45	27	31.4	3	2	1	..	12	13.9	2	
Hissar	39	35	46.9	8	..	3	..	15	20.1	4	
Hoshiarpur	51	14	14.4	3	..	3	..	7	7.2	3	
Jullundur	200	103	26.9	16	2	5	..	33	8.6	7	
Karnal	72	28	20.3	2	..	1	..	9	6.5	1	
Ludhiana	176	129	38.3	17	35	10.4	7	
Moga	41	23	29.3	3	7	8.9	1	
Panipat	64	21	17.2	7	10	8.2	3	
Pathankote	34	21	32.3	6	7	10.8	4	
Rewari	36	26	37.7	2	2	1	..	12	17.4	3	
Rohtak†														
Simla	50	17	17.8	2	2.1	1	
Sonepat†														
TOTAL	1,335	690	26.9	95	16	45	1	277	10.8	68	
Rajasthan				For w/e 30-6-56										
Alwar†														
Bharatpur	38	6	8.2	4	..	1	..	5	6.8	..	
Bikaner	117	40	17.8	2	..	6	..	13	5.7	2	
Churu	48	5	5.4	
Ganganagar	47	8	8.8	..	3	..	4	10	11.1	..	
Tonk	45	3	3.5	
Kotah	72	14	10.1	8	1	15	10.8	3	
Sikar†														
Jaipur	353	73	10.7	18	1	12	..	73	10.7	23	
Udaipur	106	22	10.8	..	1	..	2	7	3.4	..	
Jodhpur	200	54	14.0	17	..	6	..	39	10.1	27	
TOTAL	1,026	225	11.4	..	5	..	55	2	25	..	162	8.2	42	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 7th July, 1956 relate to 225 towns with an estimated population of 32,878 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 71% of the total number of towns representing 79% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 17,568 and 7,127 representing birth and death rates of 27·8 and 11·3 per thousand of population respectively.

(a) *States (Part A and C)*:—The data here relate to 191 towns with an estimated population of 28,368 thousands. Information about Assam and Bihar could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 76% of the total number of towns representing 85% of the total population is covered.

The number of births and deaths recorded in these towns were 15,760 and 6,620 representing birth rates and death rates of 28·9 and 12·1 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*:—The data here relate to 34 towns with an estimated population of 4,510 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 52% of the total number of towns representing 56% of the total population is covered. The number of births and deaths recorded in these towns were 1,808 and 507 representing birth and death rates of 20·8 and 5·8 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 7-7-56		Corresponding w/c last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	15·1	5·2	†	†	27·4	9·2
Andhra	37·3	14·0	33·1	15·4	†	†
Bombay	27·3	10·8	36·1	14·2	30·2	14·0
Delhi	25·4	6·9	30·1	9·6	31·1	9·0
Madhya Pradesh . .	29·9	11·2	34·0	12·6	27·9	12·1
Madras	37·7	16·5	38·8	17·5	†	†
Orissa	49·0	20·2	47·7	18·3	39·0	18·3
Punjab (I)	35·1	8·5	39·4	8·7	30·8	10·3
Uttar Pradesh . . .	28·6	15·2	30·5	15·0	29·7	16·3
West Bengal	19·8	9·4	17·2	11·2	16·8	11·4
*India	28·9	12·1	30·2	13·3	30·2	14·7

*8 Part 'A' States and 2 Part 'C' States.

†Figures not available.

NEW DELHI-2 (INDIA) ;
The 30th July 1956.

K. MITRA,
for Registrar General, India.

Weekly Cotton Press Return

I.—Statement of Cotton pressed in India for the weeks ending 4th, 11th, 18th, and 25th of the month of May, 1956

[Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adopted by the Adaptation of Laws Order, 1950]

(In Running bales)

States and Division or Block	Variety (Trade Description)	NUMBER OF BALES PRESSED													
		During the week ending					Total for the month Col. 3 to Col. 7	During the Corresponding week last year					Total for the month (last year) Col. 9 to Col. 13	Since 1st Sept., 195	During the Corres- pond- ing period last year
		4-5-56	11-5-56	18-5-56	25-5-56	7		9	10	11	12	13			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ANDHRA ¹	1. Chinnapathi	6
	2. Lakshmi Cotton . .	893	623	919	1,105	...	3,540	1,367	600	528	422	...	2,917	14,376(a)	18,068
	3. Northern . . .	640	818	644	184	...	2,286	145	824	988	850	...	2,807	5,499	9,220
	4. Western . . .	3,016	2,758	2,336	1,102	...	9,212	839	908	1,801	379	...	3,947	38,864(b)	22,29
	5. Mungari	600	600	1,285	3,000
	6. Cocanada . . .	463	968	617	287	...	2,335	787	728	633	31	...	2,179	6,003	2,780
	TOTAL . . .	5,012	5,167	4,516	2,678	...	17,373	3,158	3,660	3,950	1,682	...	12,450	66,027(c)	53,360
	Cotton Waste	368	260
ASSAM ¹	Comillas . . .	318	223	264	317	...	1,122	289	...	124	234	...	647	8,115	19,856
	Cotton Waste	279
BOMBAY ¹ —															
1. The Konkan and the Greater Bombay.	1. Broach Vijaya
	2. Surti Suyog
	3. Gujarat Dholeras
	4. Saurashtra & Gujarat Short Staple (Mathia)
	5. Jarilla	16	12	8	2	...	38	...	695
	6. Kumpta Nagar Oomras
	7. Kumpta-Jayant Jayadhar
	8. Cambodia
	9. Dharwar Upland Laxmi
	10. Kumpta Ordinary
	TOTAL	16	12	8	2	...	38	...	695
2. Gujarat ²	Cotton Waste . . .	811	1,957	731	1,551	...	5,050	388	467	1,215	655	...	2,725	50,361	54,116
	Broach Vijaya . . .	32,962	12,226	25,492	8,168	...	78,848	40,705	17,220	20,715	8,527	...	87,167	428,161	506,174
	Surti Suyog . . .	14,727	11,187	14,261	7,484	...	47,659	6,726	4,298	5,568	2,990	...	19,582	166,696	152,170
	Gujarat Dholeras . . .	10,033	20,451	12,398	14,010	...	56,892	23,013	9,449	12,700	14,093	...	59,255	108,785	103,923
	Saurashtra and Gujarat Short Staple (Mathia).	1,700	...	1,700	1,083	1,410	3,788	1,346	...	7,627	5,702	13,495
	TOTAL . . .	57,722	43,864	52,151	31,362	...	185,099	71,527	32,377	42,771	26,956	...	173,631	709,344	775,762
	Cotton Waste
3. North Deccan ³	Jarilla . . .	1,886	1,490	794	203	...	4,373	2,553	2,977	3,192	3,149	...	11,871	150,510	209,182
	Surti Suyog . . .	676	673	...	1,349	1,971	829	622	835	...	4,257	2,346	10,352
	Cambodia . . .	69	...	223	292	13	...	13	1,494	13
	TOTAL . . .	2,631	1,490	1,017	876	...	6,014	4,524	3,806	3,814	3,997	...	16,141	154,350	219,547
4. East Deccan ⁴	Jarilla	523	334	368	...	1,225	316	227	180	723	31,466	38,398
	Barai Nagar Oomras
	Kumpta Jayawant/Jayadhar .	6,675	4,159	1,360	8,177	...	20,371	3,439	3,513	3,229	1,801	...	11,982	45,088	42,039
	Cambodia	473	...	304	...	777	...	100	...	100	...	200	5,467	2,139
	TOTAL . . .	6,675	5,155	1,694	8,849	...	22,373	3,755	3,840	3,409	1,901	...	12,905	82,021	82,576

Weekly Cotton Press Return—contd.

I.—Statement of Cotton pressed in India for the weeks ending 4th, 11th, 18th and 25th of the month of May, 1956—contd.

(In Running bales)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
5. West Deccan and Southern Mahratta Country ¹	Dharwar Upland/Laxmi	5,792	2,895	6,238	6,142	...	21,067	1,670	1,824	4,320	3,370	...	11,184	46,067	48,148
	Barsi-Nagar Oomras
	Kumpta Jayawant/Jayadhar	5,214	6,016	4,919	18,137	...	24,286	4,280	5,837	5,757	4,560	...	20,434	41,818	68,444
	Kumpta Ordinary
	Cambodia	...	486	144	285	...	915	...	103	142	27	...	272	10,112	3,487
	Jarilla	2,568	276
	TOTAL	11,006	9,397	11,301	14,564	...	46,268	5,950	7,764	110,219	7,957	...	31,890	100,565	120,355
	Broach Vijaya	32,962	12,226	25,492	8,168	...	78,848	40,705	17,220	20,715	8,527	...	87,167	428,161	506,174
	Surti Suyog	15,403	11,187	14,261	8,157	...	49,008	8,697	5,127	6,190	3,825	...	23,839	169,042	162,522
	Gujarat Dolleras	10,033	20,451	12,398	14,010	...	56,892	23,013	9,449	12,700	14,093	...	59,255	108,785	103,923
6. TOTAL BOMBAY	Saurashtra and Gujarat Short Staple (Mathia)	1,700	...	1,700	1,083	1,410	3,788	1,346	...	7,627	5,702	13,495
	Jarilla	1,886	2,013	1,128	571	...	5,598	2,869	3,204	3,372	3,149	...	12,594	184,544	247,856
	Barsi-Nagar Oomras
	Kumpta Jayawant/Jayadhar	11,889	10,175	6,279	16,314	...	44,657	7,719	9,350	8,986	6,361	...	32,416	86,906	110,483
	Cambodia	69	959	367	589	...	1,984	...	203	142	140	...	485	17,073	5,639
	Dharwar Upland/Laxmi	5,792	2,895	6,238	6,142	...	21,067	1,700	1,824	4,320	3,370	...	11,184	46,067	48,148
	Kumpta Ordinary
	TOTAL	78,034	59,906	66,163	55,651	...	259,754	85,756	47,787	60,213	40,811	...	234,567	1,046,280	1,198,240
	Cotton Waste	455	1,106	2,684	729	...	4,974	992	812	995	260	...	98,059	45,944	48,257
	TOTAL	78,489	61,012	68,847	56,380	...	264,728	86,748	48,599	61,208	41,071	...	235,566	1,092,224	1,246,497
MADHYA PRADESH	1. Narmada ¹	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL	4,343	10,831
	2. Nirmar ²	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	C. P. and Berar Americans	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Jarilla	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Verum H. 420	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Nirmar Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL	45,133	57,790
	3. Jabalpur ³	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL
4. Nagpur ⁴	C. P. & Berar Americans	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Verum & H. 420	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	C. P. Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL	588	566	216	128	...	1,498	2,748	2,256	1,839	1,670	...	8,513	54,291(d)	110,025
	5. Satpura ⁵	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Verum & H. 420	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	C. & P. Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL	64	...	59	123	2,855	2,407
	6. Chatargar ⁶	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Verum & H. 420	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
7. Berar ⁷	C. P. Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL
	C. P. & Berar Americans	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Jarilla	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Verum & H. 420	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	C. P. Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Berar Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL	6,769	5,190	3,876	4,163	...	19,998	8,757	9,040	9,368	7,418	...	34,583	437,231(e)	653,660
	Nirmar Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	C. P. & Berar Americans	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
TOTAL—MADHYA PRADESH	Jarilla	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Verum & H. 420	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	C. P. Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	Berar Oomras	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
	TOTAL	7,357	5,756	4,092	4,291	...	21,496	11,570	11,296	12,666	9,088	...	43,220	543,853(f)	834,722
	Cotton Waste	98	11	19	54	...	182	55	...	53	43	...	151	1,827	1,867
	TOTAL	7,455	5,767	4,111	4,345	...	21,678	11,625	11,349	12,719	9,131	...	43,371	545,680	836,589
	TOTAL	7,455	5,767	4,111	4,345	...	21,678	11,625	11,349	12,719	9,131	...	43,371	545,680	836,589
	TOTAL	7,455	5,767	4,111	4,345	...	21,678	11,625	11,349	12,719	9,131	...	43,371	545,680	836,589
	TOTAL	7,455	5,767	4,111	4,345	...	21,678	11,625	11,349	12,719	9,131	...	43,371	545,680	836,589

I.—Statement of Cotton pressed in India for the weeks ending 4th, 11th, 18th and 25th of the month of May, 1956—*contd.*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
UTTAR PRADESH— contd. 5. Rest of the U.P. States	U.P. Deshi
	Perso-American
	TOTAL
	U.P. Deshi	613	2,594
	Perso-American	3,170	6,345
TOTAL—UTTAR PRADESH	TOTAL	3,783	8,939
	Cotton Waste	22	150	...	172	...	140	140	1,856(h)	2,728
	Comillas	689	817	743	929	...	3,178	749	770	690	812	...	3,021	8,553	15,638
	Hyderabad American
	TOTAL	689	817	743	929	...	3,178	749	770	690	812	...	3,021	8,553	15,638
BENGAL@1	Cotton Waste	655	398	319	220	...	1,592	180	65	170	112	...	527	5,637	4,900
	Hyderabad American
	TOTAL
	Cotton Waste
	Hyderabad American	3,836	9,590
HYDERABAD	Jarilla	682	639	65	403	...	1,789	489	190	408	239	...	1,326	55,572	100,303
	Hyderabad Oomras	151	211	45	407	407	...
	Hyderabad Gaorani	237	311	713	528	...	1,789	563	944	150	1,657	52,822	103,382
	Kumta Jayawant	5,793	1,969	2,150	4,144	...	14,056	1,638	3,430	1,359	646	...	7,073	35,025	29,886
	Kumta Ordinary
	Mungarj	100
	Warangal & Cocanadas
	TOTAL	6,863	3,130	2,973	5,075	...	18,041	2,690	4,564	1,917	885	...	10,056	147,662	243,261
	Cotton Waste	99	174	273	546	7	4,637	...
	U.P. Deshi	2,185	1,214
MADHYA BHARAT ¹	M.B. & Rajasthan American	642	430	294	359	...	1,725	448	448	51,678	43,248
	Jarilla	375	51	181	38	...	648	806	343	390	79	...	1,618	56,690	52,322
	Malvi	426	104	313	52	...	895	467	611	226	252	...	1,556	16,916	18,035
	M.B. Oomras	3,946	8,048
	TOTAL	1,443	585	791	449	...	3,268	1,721	954	616	331	...	3,622	131,415	122,867
	Cotton Waste	109	123	59	52	...	343	235	274	280	789	5,411	7,285
	U.P. Deshi	2,185	1,214
MYSORE@1	Mysore American	152	84	204	204	...	644	100	382	482	2,875	4,239
	Kumta Ordinary	811	1,433	1,312	1,704	...	5,260	765	1,643	1,367	1,459	...	5		

Weekly Cotton Press Return—concl'd.

I.—Statement of Cotton pressed in India for the weeks ending 4th, 11th, 18th and 25th of the month of May, 1956—concl'd.

(In Running bales)

I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAJASTHAN ¹	M.B. & Rajasthan Americans.	194	116	198	48	...	556	191	74	76	295	...	636	45,422	32,881
	Rajasthan Deshi	1,276	559	888	511	...	3,234	878	728	814	589	...	3,009	59,018	74,433
	M.B. Oomras
	Malvi
	Jarilla	9,375	12,911
	U.P. Deshi
	TOTAL	1,470	6,75	1,086	559	...	3,790	1,069	802	890	884	...	3,645	113,815	120,225
SAURASHTRA ¹	Cotton Waste
	Saurashtra & Kutch Dholleras.	14,242	14,821	13,515	12,144	...	54,722	23,422	22,452	20,517	22,663	...	89,054	131,892	198,111
	Saurashtra & Gujarat Short Staple (Mathia.)	309	301	309	15	...	934	821	1,273	292	769	...	3,155	46,035	51,635
	TOTAL	14,551	15,122	13,824	12,159	...	55,656	24,243	23,725	20,809	23,432	...	92,209	177,927	249,746
AJMER ¹	Cotton Waste
	Rajasthan Desi	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	14,282	18,01
	Madhya Bharat and Rajasthan Americans.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	2,716	4,18
	TOTAL	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	16,998	22,195
BHOPAL ¹	Cotton Waste	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	157	2,265
	Malvi	N.A.	N.A.
	M.B. Oomras	N.A.	N.A.
	TOTAL	2,883	10,502
KUTCH ¹	Cotton Waste
	Saurashtra and Kutch Dholleras.	497	1,677	508	1,249	...	3,931	1,584	1,291	1,061	1,231	...	5,167	8,430	11,530
	Any other	44	61	40	116	...	261	723	106
	TOTAL	541	1,738	548	1,365	...	4,192	1,584	1,291	1,061	1,231	...	5,167	9,153	11,636
TRIPURA ¹	Cotton Waste
	Comilas
GRAND TOTAL	Cotton Lint	127,419	103,486	103,252	92,703	...	426,860	153,691	109,903	115,060	90,908	...	469,562	3,080,653	3,728,232
	Cotton Waste	2,576	3,216	4,354	2,228	...	12,374	2,667	2,299	2,676	1,531	...	9,173	113,083 ⁽ⁱ⁾ 112,897 ^(h)	112,897

N. A.—Not available.

⑥ In bales of 392 lbs. each.

- ¹ The whole State.
² Thana, Kolaba and Greater Bombay.
³ Surat, Broach, Panchmahals, Kaira, Banaskantha, Sabarkantha, Baroda, Mehsana, Ahmedabad & Amreli.
⁴ East Khandesh, West Khandesh and Nasik.
⁵ Ahmednagar, Sholapur, Bijapur.
⁶ Poona, N. Satara, S. Satara, Belgaum, Dharwar, Kanara & Kolhapur.
⁷ Hoshangabad and Narsimhapur.
⁸ Nimar.
⁹ Jabalpur, Sagar and Demoh.
¹⁰ Nagpur, Wardha, Balaghat, Bhandara.
¹¹ Chindwara, Seoni, Betul, Mandla.
¹² Drug, Rajpur, Bilaspur, Surguja, Raigarh and Bastar.
¹³ Akola, Amaravati, Buldana, Yavatmal.
¹⁴ Hissar, Rohtak, Gurgaon, Karnal, Ambala (including Simla Distt.).
¹⁵ Ludhiana, Kangra, Hoshiarpur and Jullundur.
¹⁶ Amritsar, Gurdaspur.
¹⁷ Ferozepur.
¹⁸ Dehradun, Saharanpur, Meerut, Bulandshahr, Aligarh, Muzaffarnagar.
¹⁹ Mathura, Farrukhabad, Etah, Agra, Mainpuri, Etawah.
²⁰ Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hemirpur, Banda.
²¹ Hardoi, Bareilly, Moradabad, Badaun, Bijnore, Pilibhit, Nainital, Almora, Garhwal, Shahjahanpur.
²² Mirzapur, Banaras, Ghazipur, Jaunpur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Khera, Sitapur, Lucknow, Barabanki, Kat-Bareilly, Sultanpur, Fyzabad, artappur, Unnao.
- (a) Includes 1,356 bales not reported before.
 (b) " 6,059 " " " "
 (c) " 7,415 " " " "
 (d) " 113 " " " "
 (e) " 159 " " " "
 (f) " 272 " " " "
 (g) " 161 " " " "
 (h) " 18 " " " "
 (i) " 7,848 " " " "

NOTE.—All India totals exchange figures for Ajmer State for May, 1956, due to non-receipt of the data from the State Govt.